




INSTALLATION MANUAL

MXOS1500—3rd Generation

Infrared Sauna




30 Day Technical Support:

Call **01908 317512** and request technical support for aiding your installation.

Replacements Parts: Inside of your warranty period visit:

<https://www.insigniashowers.com>, click support and make a warranty claim.

Spares/Replacements Parts: Outside of your warranty period visit



ATTENTION INSTALLERS:

These instructions must be left with the customer

CHECK ALL CONTENTS BEFORE BUILD COMMENCES. NO RETURNS CAN BE MADE ONCE THE BUILD HAS STARTED AS IT IS DEEMED ACCEPTANCE OF PRODUCT!

Contents

Thank you for your purchase	3
Electrical & Tool requirements	4
Box contents	5
Installation Instructions	6
Creating the base	7
Installing the back panel	8
Installing the back right upright	9
Installing the back left upright	10
Installing the right side panel	11
Installing the floor	12
Fitting the electric box	13
Installing the bench	14
Installing the bench seats	16

Installing the left side panel	17
Installing the two front uprights	18
Installing the top beam	19
Installing the fitted glass	20
Installing the inner roof	21
Installing the wall lamp	22
Installing the big roof	23
Installing the door	24
Installing the Door Handle	25
Control Panel Instructions	27
Sauna Room Safety Guide	30
WEEE Compliance Statement	31



Thank you for your recent purchase of an Insignia Sauna. Please read this booklet with great care to ensure you get the best out of your build and have a Sauna that will last for many years to come! Like everything, in order to obtain a first class product that will serve you well for many years, the effort and correctness put into the assembly will reflect in the quality of your finish.

IMPORTANT!

Allowing for freedom of colour wood protection choice, enabling blending to surroundings, your saunas wood has NOT been treated or preserved in any way. The following is critical

OUTDOOR SAUNAS

**CHOOSE BUILD DAYS WITH LOW HUMIDITY / NO RAIN / WET WEATHER IN COMING DAYS.
ALWAYS WOOD TREAT EXTERNAL PANELLING WITHIN 24 HOURS OF COMPLETION.
(Failure to do so can cause severe panel warp)**

Electrics

Infrared Heaters

8 x 330 watt (2800 watts total) 240 volt single phase connection

Other

LED lighting, radio, Bluetooth etc single phase 120 watts

Total rating 2800 watts

Amperage 10.45 amps

Always consult a qualified Electrician before connection as to suitability Your electrical contractor will understand ALL legal requirements of connection before undertaking any work or installation.

UNDER NO CIRCUMSTANCES UNDERTAKE THIS YOURSELF. ALWAYS USE AN ELECTRICAL CONTRACTOR AND ENSURE LEGAL CERTIFICATION IS GIVEN ON COMPLETION

The MXOS1500 has provision for 240 volts. Your qualified electrician will advise on the method they feel best suits your situation and electrical supply along with any potential benefit either may have.

Tools Required

- Scissors
- Knife
- Spirit Level
- Tape Measure
- Philips Screwdriver
- Electric Drill
- Safety Gloves
- Safety Glasses

What's in the Boxes?

Contents	Quantity	✓
Back Panel	1	[]
Left Panel	1	[]
Right Panel	1	[]
Fixed Glass	1	[]
Door	1	[]
Inner Roof	1	[]
Big Roof	1	[]

Contents	Quantity	✓
Light	1	[]
Door Handle	1	[]
Bench Top	1	[]
Bench Vertical Supports	1	[]
Under Bench Support	1	[]
Screw Pack	1	[]
Electrical Box	1	[]

VERY IMPORTANT

Have you got everything? If not please contact the Insignia directly on **01908 317 512**. Remember **NEVER** book your tradesman until everything has arrived, been checked and is present. No replacement/missing parts can be obtained free of charge during or after the build. Any claims can only be within the timescale permitted (48 hours after delivery) and always **BEFORE** build.

Installation Instructions


Please note : Must be installed on a solid and level base and will not warp over time. A slight run off towards the rear is preferable. The sauna must have clearance of the base during its life to avoid water transference.

Maintenance Instructions (Wood saunas only)



Please note : Like all timber products, such as garden sheds and fencing, garden saunas require full exterior wood weatherproofing treatment after installation to ensure long life and prevention of water ingress.

Step 1 — Creating the base

IMPORTANT: If you have purchased the aluminium-clad sauna, it will be supplied with a metal base. This should be positioned first, and the sauna is then to be assembled directly on top of this base by following the steps outlined below. Ensure it's level.




Create a square using the 4 bottom struts.



Note: The front strut has a groove cut out for the front fixed glass panel. Make sure this strut is at the front of the square.


Step 2 — Installing the back panel



Place the back panel onto the base and slot the right post beam up to lock in position.





Hold panel in place while the right upright post is installed in the next step.

Step 3 — Installing the back right upright



Slot the right upright post down onto the bracket to secure in place.

Step 4 — Installing the back left upright




Tilt the back panel up in order to get the back left upright to slot into the brackets. Connect and push the left back upright down and secure into position.

There will be 3 screw connections on two faces of the upright. They should face towards the back bottom strut and right bottom strut.

Step 5 — Installing the right side panel


Lift the right side panel and slide the brackets up the screw fixings and lock into position. Also ensure you push the panel down onto the right bottom strut and ensure they lock together.



Step 6 — Installing the floor

Place the back part of the floor into position first. This insert will have square cutouts which are positioned towards the back of the sauna.

Place the front part of the floor into position next. This insert will have curved cutouts which are positioned towards the front of the sauna.



Step 7 — Fitting the electric box




Place the electric box on the floor of the sauna and position where the bench will enclose it. Drill hole in the sauna wall to accommodate the electric box cable.

Connect all electrics within the sauna.

Please note :




Once the connections are made, flip the wooden box over, ensuring no excess water enters the electrics.




Step 8 — Installing the bench

Place the front bench piece in position and screw into place.

Please note : Connect the electric box cable to the back of the bench front to feed power to the leg heating panel.




Step 9 — Installing the bench—continued




Locate the bench support frame and screw into position behind the bench front piece.

Secure the bench front piece to the adjoining panels using the screws.




Step 10 — Installing the bench seats

Locate the bench seat and slide into position onto the bench front from the left side as the right heating panel will obstruct the access.




Step 11 — Installing the left side panel




Lift the left side panel and slide the brackets up the screw fixings and lock into position. Also ensure you push the panel down onto the left bottom strut and ensure they lock together.

Step 12 — Installing the two front posts


Install the two front beams by sliding down the slots and securing in position ensuring they are locked in the bottom beam.



Step 13 — Installing the top beam



Locate the top framework into position. Do not tighten until the next step as you need to lift the framework slightly.







Step 14 — Installing the fitted glass

Overhead view (right)

With the framework in position tighten the nut and washer from above.

Note: Be careful not to drop the hex nut and washer down the upright.






Carefully apply a bead of silicone to allow full seal into the grooved cut out. insert the fixed glass into the groove cut-outs in the framework, lift the top framework up, then slot back down once it is in position. Neatly Clean any excess silicone.

Step 15 — Installing the inner roof

Ensure that the speakers are positioned towards the back. Please note insulation will need to be cut to allow bolts to secure. Once in position, take all cabling from the back and side panel and connect on top of the inner roof.


Locate the thermo probe and feed through the inner roof. Please note you will need to pierce through the insulation to allow the thermo probe to be fed through the roof. Secure in position using silicone from above. Ensure the probe extends approximately 75% out.




Step 16 — Installing the wall lamp

Step 1: With a plumb line, guide it down the cavity of the left side panel to access the pre drilled hole on the inside. Attach the wall lamp cable to the plumbline.

Step 2: Pull the plumbline with the wall lamp cable attached back up through the cavity to the roof to connect to the roof connection.





Step 17 — Installing the big roof & water deflectors skirts



Lift the roof into position and position the square locaters into the top of all uprights.
Caution: Roof is heavy, Minimum 3 person lift advised.


Please note : On the big roof, 3 curved cutouts are positioned to allow the inner roof connections to avoid being flattened. Please see blue circles to ensure the cutouts are in the correct place.




WOOD VERSION ONLY NOT REQUIRED FOR ALUMINIUM CLAD VERSION

Position 3 x water deflectors one for each side wall, fit these between where the base and the outer wall connect. Cut to precise length, silicone seal along middle of the wood and attached to the sauna using 4 x screws. Run a bead of silicone around the top edge, ensure silicone is fully sealing especially in wall groves and edges.


SCAN TO WATCH VIDEO OF CORRECT INSTALLATION




Step 18 — Installing the door



Step 18 — Door Handle Install



Locate the door handle and separate before attaching it to the door. The metal handle is designed to be on the outside of the sauna. The door will be positioned here.



Congratulations on building your new sauna.

Now for the most important

WOOD SAUNAS ONLY!

TREAT / STAIN OR PAINT ALL EXTERNAL WOOD NOW.



THIS MUST BE DONE WITHIN 48 HOURS OF BUILD

Control Panel Instructions

Button 1 (Lights)

Turn the 12V light on or off.


Button 2 (Return)

Press to return to the menu after a change is made.

Button 3 (Mode button/Scroll)

Press and hold for 3 seconds to power the panel on or off.

Press to change the control panel function, then scroll left or right to change settings. The panel automatically locks after 1 minute of inactivity. Press this button to unlock the panel.



Coloured Lights




To operate the lights, press (Button 3), scroll until you see the interface (left). Press (Button 3) and the lights will come on a specific colour. Press again to turn off, again to turn back on to the next colour. Repeat until you find your desired colour.

FM Radio



To operate the FM Radio, Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) to begin playing.

Volume



Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) to enter the volume mode. Scroll up or down to change the volume.

Bluetooth Connectivity



To operate the Bluetooth, scroll with (Button 3) until you see the interface (left). Scan for the control panel on your device and pair. Once paired you should hear a connection tone. Press play on your device to begin listening.

FM Radio Station Search



Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) and scroll to search through until it finds a station. Press again to continue searching.

Sauna Setting



Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) to enter the sauna mode. This will toggle the Sauna heater on/off as desired. Use the Time/Temp settings to make the most out of your session.

Bluetooth Track Change




To change track whilst in the sauna form the panel, scroll to the audio interface (left). Then press the scroll (Button 3) and it will change to the next track. This will also change through the saved radio station list you have made. You can only skip forwards, not backwards.

FM Radio Station Save




Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) and it will save the current radio station you are listening to. You can save up to 10 stations on this device.

12V Light Interface



Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) to turn off the 12V light. Press again to turn it on. The light will turn on automatically when the panel is turned on.

Settings



Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) to enter the settings mode. Here you can set the clock which operates on a 24 hour system. You can also change the temperature display to Celsius or Fahrenheit. Change either by entering the setting using (Button 3) and then scroll to change. Press (Button 3) again to confirm selection.

Time/Temp Setting



For temperature: Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) to enter the temp mode. Scroll until desired temperature and simply press (Button 3) to confirm.



For time: Scroll (Button 3) until you see the interface (left). Once here, press (Button 3) to enter the time mode. Scroll until desired duration is set and simply press (Button 3) to confirm.

Sauna Usage & Safety Guide

1. Never leave children unattended in the Sauna.
2. Regulate (if preferred) the temperature of sauna before session - Pre-heat time 15-30 minutes (from room temperature 20c)
3. Never touch the heater panels whilst in operation, possible burning may occur.
4. Recommended time of use is a maximum of 15 mins initially. We highly recommend working up in time to this, beginning with 5 minute sessions to get your body used to using a sauna.
5. Suggested operational heat range: Infrared—30° C-40° C. Infrared optimum use range 35°C to 40°C
6. Stay hydrated during each sauna session.
7. Exit the sauna immediately if feeling dizzy, faint or short of breath.
8. Do NOT use the sauna function if you're pregnant, have a heart condition, have low or high blood pressure. If you're unsure consult your GP before use.
9. If you have any underlying health conditions which you feel could be aggravated by an increase in temperature, consult your GP before use.
10. If you begin to have any issues with your health after using a sauna, stop immediately and consult your GP regarding your symptoms before continuing to use.
11. Consult your GP before using the steam room if you're on medication at all, especially with drowsy side effects.
12. Never use the sauna if you have been drinking alcohol or under the influence of other substances.
13. Do not put combustible material on the heaters at any time.
14. Always turn power supply off after use.

WEEE Compliance Statement


The UK Waste Electrical and Electronic Equipment (WEEE) regulations came into force on 2 January 2007. Under this new legislation, producers of electrical and electronic equipment (EEE) have to fulfil certain obligations.

Under the WEEE directive Insignia is considered the producer of certain products we supply and in line with the demands of the legislation we are pleased to offer the opportunity to return these products to us for treatment and recycling.

Insignia products will generally have an identifying mark and the common crossed out wheelie bin label. We accept returns of all products carrying the Insignia brand. All other products are either considered outside the scope of WEEE or Insignia is not technically the producer of these products. Insignia also accepts historic like-for-like WEEE returns. All WEEE returned to Insignia will be recycled in appropriate treatment and recycling centres in accordance with the legislation. If you wish to return any products to us, please send your item(s) to our head office.

Company Contract No. 326457

WEEE Producer No. CBDU64227



LABELLING

Products labelled with the WEEE symbol (a crossed out “waste bin”) indicate that the final user should not discard this product along with other household waste, but that it must be collected and treated separately.



Returns Address for WEEE

Insignia

9a Deans Road, Old Wolverton, Canon Industrial Park, Milton Keynes, Buckinghamshire, MK12 5NA, UK




EU – Declaration of Performance

Insignia declares that all its products complies with the essential requirements and other relevant provisions of Directive 305/2011/EC. A copy of the Declaration of performance is available from www.insigniashowers.com/ce-certification

Insignia™ is a registered trademark of Maclean International Ltd, 9a Deans Road, Old Wolverton, Canon Industrial Park, Milton Keynes, Buckinghamshire, MK12 5NA, UK

All images are subject to copyright. Images may not be used in any way shape or form with out written permission from Maclean International Ltd. Images are NOT permitted to be saved, printed or uploaded. Violation of copyright laws are punishable by law.

All images are registered with
ImageTraker



Insignia™ is a registered trademark of Maclean International Ltd

All images are subject to copyright. Images may not be used in any way shape or form with out written permission from Maclean International Ltd. Images are NOT permitted to be saved, printed or uploaded. Violation of copyright laws are punishable by law.